



Corporate Office

SG Centre, 37C, Block A, Sector 132, Noida, Uttar Pradesh 201304, India T:+91-120 6918000 F:+91-120 4041444

Stay connected. Stay updated.

[] in **S** ■ / APL APOLLO | **©** / APL APOLLO OFFICIAL | TOLL FREE: 1800-102-3737

info@aplapollo.com | www.aplapollo.com







THE BIGGEST REVOLUTION FOR SUPER-FAST SHEDS

WITH APL APOLLO'S **1000 X 1000 MM** BOX SECTIONS, SHEDS CAN NOW BE CONSTRUCTED EASIER & FASTER THAN EVER BEFORE

INDUSTRIAL | WAREHOUSE | COLD STORAGE | HANGERS





INTRODUCING INDIA'S FIRST 1000MM X 1000MM BOX SECTION











FASTER CONSTRUCTION

REDUCED COST

IMPROVED QUALITY

ECO-FRIENDLY

RESISTANCE TO SEISMIC LOADING

APPLICATIONS:









THICKNESS: UPTO 40MM





INDEX

ABOUT SG	02	
ABOUT APL APOLLO	02	
DESIGN - 1 5 meter span Bay spacing - 6.0 meter	03	Design - 1 (a) wind speed 39m/s Design - 1 (b) wind speed 47m/s Design - 1 (c) wind speed 55m/s
DESIGN - 2 10 meter span Bay spacing - 6.0 meter	05	Design - 2 (a) wind speed 39m/s Design - 2 (b) wind speed 47m/s Design - 2 (c) wind speed 55m/s
DESIGN - 3 10 meter span Bay spacing - 6.0 meter	07	Design - 3 (a) wind speed 39m/s Design - 3 (b) wind speed 47m/s Design - 3 (c) wind speed 55m/s
DESIGN - 4 15 meter span Bay spacing - 6.0 meter	09	Design - 4 (a) wind speed 39m/s Design - 4 (b) wind speed 47m/s Design - 4 (c) wind speed 55m/s
DESIGN - 5 20 meter span Bay spacing - 6.0 meter	11	Design - 5 (a) wind speed 39m/s Design - 5 (b) wind speed 47m/s Design - 5 (c) wind speed 55m/s
DESIGN - 6 25 meter span Bay spacing - 6.0 meter	13	Design - 6 (a) wind speed 39m/s Design - 6 (b) wind speed 47m/s Design - 6 (c) wind speed 55m/s
DESIGN - 7 30 meter span Bay spacing - 6.0 meter	17	Design - 7 (a) wind speed 39m/s Design - 7 (b) wind speed 47m/s Design - 7 (c) wind speed 55m/s
DESIGN - 8 30 meter span Bay spacing - 6.0 meter	21	Design - 8 (a) wind speed 39m/s Design - 8 (b) wind speed 47m/s Design - 8 (c) wind speed 55m/s
DESIGN - 9 25 meter span Bay spacing - 6.0 meter	25	Design - 9 (a) wind speed 39m/s Design - 9 (b) wind speed 47m/s Design - 9 (c) wind speed 55m/s
DESIGN - 10 30 meter span Bay spacing - 6.0 meter	27	Design - 10 (a) wind speed 39m/s Design - 10 (b) wind speed 47m/s Design - 10 (c) wind speed 55m/s
TYPICAL CONNECTION DETAIL	29	
PURLINS, GIRTS, TIE & BRACING MEMBERS DETAILS	33	
COMPLETED TUBULAR SHEDS RAIPUR DUJANA KASHMIR SATNA MEGHALAYA RAIPUR	35	






Sudesh Group is India's leading Steel Tubes and PVC Pipes manufacturer with 14 plants across different locations in the country. It's a pioneer in steel tubes of different types and shapes. For over 3 decades, SG Group has been revolutionizing the Steel Tubes manufacturing industry.



APL Apollo, a part of SG Group, is the country's largest manufacturer of steel pipes and tubes. Using High Frequency Induction Welding Technique (HFIW), APL Apollo has a capacity to produce 3.6 million tonnes of pipes per annum. The company is the unrivalled pioneer of Direct Forming Technology (DFT) as well as many other innovative products in the country.

5 METER . SPAN | BAY SPACING - 6.0 METER **SLOPE - 1:10**



MEMBER SIZE SCHEDULE


Wind speed 39m/s, Earthquake Zone-IV				
Part Mark	Description	Length(MM)	Grade	Weight/Frame (Kg)
	Designed wit	h YST 210 & 310MPa		
1	250X100X2.9 (RHS)	5326	210MPa	82
2	250X100X4.0 (RHS)	12736	310MPa	268
	Total Weight			350
Designed with YST 210MPa only				
1	250X100X2.9 (RHS)	5326	210MPa	82
2	280X100X5.0 (RHS)	12736	210MPa	362
	Total Weight			444

	Wind speed 47m/s, Earthquake Zone-IV						
Part Mark	Description	Length(MM)	Grade	Weight/Frame (Kg)			
	Designed wit	th YST 210 & 310MPa					
1	280X100X3.2 (RHS)	5326	210MPa	99			
2	280X100X5.0 (RHS)	12736	310MPa	369			
	Total Weight			463			
	Designed wi						
1	280X100X3.2 (RHS)	5326	210MPa	99			
2	300X150X5.4 (RHS)	12736	210MPa	467			
	Total Weight			566			

Wind speed 55m/s, Earthquake Zone-IV						
Part Mark	Description	Length(MM)	Grade	Weight/Frame (Kg)		
	Designed w	vith YST 310MPa only				
1	250X100X4.0 (RHS)	5326	310MPa	113		
2	300X150X5.0 (RHS)	12736	310MPa	431		
	Total Weight			544		
	Designed w	vith YST 210MPa only				
1	280X100X5.0 (RHS)	5326	210MPa	152		
2	300X150X8.0 (RHS)	12736	210MPa	678		
	Total Weight			830		

• Length tolerance ± 50mm | • Weight tolerance ± 5%

10 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10



MEMBER SIZE SCHEDULE

	Wind Speed 39m/S, Earthquake Zone-Iv					
Р	art Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)	
		Designed Wit	h YST 310MPa Only			
	1	280x100x4.0 (Rhs)	10352	310mpa	238	
	2	280x100x4.0 (Rhs)	12836	310mpa	245	
		Total Weight			533	
	Designed With YST 210MPa					
	1	280x100x5.4 (Rhs)	10352	210mpa	317	
	2	280x100x5.4 (Rhs)	12836	210mpa	393	
		Total Weight			710	

Wind Speed 47m/S, Earthquake Zone-Iv						
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)		
	Designed With YST 310MPa Only					
1	280x100x5.0 (Rhs)	10352	310mpa	295		
2	280x100x5.0 (Rhs)	12836	310mpa	365		
	Total Weight			660		
	Designed V	Vith YST 210MPa				
1	300x150x5.0 (Rhs)	10352	210mpa	352		
2	300x150x5.4 (Rhs)	12836	210mpa	470		
	Total Weight			822		

	Wind Speed 55m/S, Earthquake Zone-Iv					
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)		
	Designed With YST 310MPa Only					
1	300x150x5.0 (Rhs)	10352	310mpa	352		
2	300x150x5.0 (Rhs)	12836	310mpa	437		
	Total Weight			789		
	Designed V	Vith YST 210MPa				
1	300x200x6.0 (Rhs)	10352	210mpa	468		
2	300x150x8.0 (Rhs)	12836	210mpa	683		
	Total Weight			1151		

06


Note

 \cdot Length tolerance ± 50mm $\,\mid\,\cdot\,$ Weight tolerance ± 5%

07

DESIGN - 03

15 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10



MEMBER SIZE SCHEDULE

	Wind speed 39m/s, Earthquake Zone-IV				
	Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)
		Designed with YS	T 310MPa only		
,	1	350X150X5.0 (RHS)	15528	310MPa	586.00
7	2	350X150X5.0 (RHS)	13114	310MPa	491.00
<u>.</u>		Total Weight			1077.00
í		Designed with YS	T 210MPa only		
	1	400X200X5.4 (RHS)	15528	210MPa	764
	2	400X200X5.4 (RHS)	13114	210MPa	643
		Total Weight			1407


Wind speed 47m/s, Earthquake Zone-IV						
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)		
	Designed with YS	T 310MPa only				
1	350X150X5.0 (RHS)	15528	310MPa	586		
2	350X150X5.0 (RHS)	13114	310MPa	491		
	Total Weight			1076		
Designed with YST 210MPa only						
1	400X200X5.4 (RHS)	15528	210MPa	764		
2	400X200X5.4 (RHS)	13114	210MPa	643		
	Total Weight			1407		

Wind speed 55m/s, Earthquake Zone-IV					
	Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)
		Designed with YS	T 310MPa only		
	1	400X150X5.4 (RHS)	15528	310MPa	700
	2	400X150X5.0 (RHS)	13114	310MPa	550
) :		Total Weight			1250
Designed with YST 210MPa only					
	1	450X200X5.4 (RHS)	15528	210MPa	832
	2	450X200X5.4 (RHS)	13114	210MPa	703
		Total Weight			1535

Note

 $[\]cdot$ Length tolerance ± 50mm $\,\mid\,\cdot\,$ Weight tolerance ± 5%

15 METER . SPAN | BAY SPACING - 6.0 METER **SLOPE - 1:10**



MEMBER SIZE SCHEDULE


	Wind speed 39m/s, Earthquake Zone-IV								
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)					
	Designed with YST 210 & 310MPa								
1	110X110X3.2 (SHS)	14750	210MPa	156					
2	150X75X2.9 (RHS)	15700	210MPa	154					
3	50X50X2.9 (SHS)	46550	210MPa	192					
4	250X100X4.0 (RHS)	14000	310MPa	296					
	Total Weight			798					
	Designed w	vith YST 210MPa or	nly						
1	110X110X3.2 (RHS)	14700	210MPa	155					
2	150X75X2.9 (RHS)	15700	210MPa	154					
3	50X50X2.9 (SHS)	46550	210MPa	192					
4	300X150X4.0 (RHS)	14000	210MPa	384					
	Total Weight			885					

	Wind speed 47m/s, Earthquake Zone-IV						
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)			
	Designed w	ith YST 210 & 310M	Pa				
1	150X75X3.2 (RHS)	14750	210MPa	159			
2	150X75X2.9 (RHS)	15700	210MPa	154			
3	50X50X3.2 (SHS)	46550	210MPa	209			
4	280X100X5.0 (RHS)	14000	310MPa	400			
	Total Weight			923			
	Designed v	vith YST 210MPa or	nly				
1	150X75X3.2 (RHS)	14700	210MPa	159			
2	150X75X2.9 (RHS)	15700	210MPa	154			
3	50X50X3.2 (SHS)	46550	210MPa	210			
4	300X150X5.4 (RHS)	14000	210MPa	513			
	Total Weight			1036			

Wind speed 55m/s, Earthquake Zone-IV					
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)	
	Designed v	vith YST 210 & 310M	Pa		
1	200X100X3.2 (RHS)	14750	210MPa	215	
2	150X75X3.2 (RHS)	15700	210MPa	169	
3	72X72X2.9 (SHS)	46550	210MPa	285	
4	300X150X5.0 (RHS)	14000	310MPa	477	
	Total Weight			1146	
	Designed v	with YST 210MPa or	nly		
1	200X100X2.9 (RHS)	14700	210MPa	195	
2	150X75X3.2 (RHS)	15700	210MPa	169	
3	72X72X2.9 (SHS)	46550	210MPa	285	
4	400X150X5.0 (RHS)	14000	210MPa	587	
	Total Weight			1236	

Note : \cdot Length tolerance \pm 50mm | \cdot Weight tolerance \pm 5%

20 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10



MEMBER SIZE SCHEDULE


	Wind speed 39m/s,	Earthquake Zone-	-IV	
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with \	/ST 210 & 310MPa		
1	150X75X3.6 (RHS)	19750	210MPa	238
2	150X100X3.6 (RHS)	20600	210MPa	277
3	60X60X3.6 (SHS)	53250	210MPa	326
4	250X100X4.0 (RHS)	14000	310MPa	296
	Total Weight			1137
	Designed with	YST 210MPa only		
1	150X75X3.6 (RHS)	19750	210MPa	238
2	150X75X3.6 (RHS)	20600	210MPa	277
3	60X60X3.6 (SHS)	53250	210MPa	326
4	280X100X5.0 (RHS)	14000	210MPa	400
	Total Weight			1241

Wind speed 47m/s, Earthquake Zone-IV Part Mark Description Length(Mm) Grade (Kg) Weight/Frame (Kg) Designed with YST 210 & 310MPa 1 200X100X3.2 (RHS) 19750 210MPa 287 2 150X100X3.2 (RHS) 20600 210MPa 248 3 60X60X3.6 (SHS) 53250 210MPa 326 4 280X100X5.0 (RHS) 14000 310MPa 400 Total Weight 1261 Designed with YST 210MPa only 1 150X100X3.6 (RHS) 19750 210MPa 266				
Part Mark	Description	Length(Mm)	Grade	
	Designed with \	YST 210 & 310MPa		
1	200X100X3.2 (RHS)	19750	210MPa	287
2	150X100X3.2 (RHS)	20600	210MPa	248
3	60X60X3.6 (SHS)	53250	210MPa	326
4	280X100X5.0 (RHS)	14000	310MPa	400
	Total Weight			1261
	Designed with	YST 210MPa only		
1	150X100X3.6 (RHS)	19750	210MPa	266
2	150X100X3.2 (RHS)	20600	210MPa	248
3	60X60X3.6 (SHS)	53250	210MPa	326
4	300X150X5.0 (RHS)	14000	210MPa	477
	Total Weight			1317

	Wind speed 55m/s,	Earthquake Zone-	·IV	
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with \	YST 210 & 310MPa		
1	200X100X3.6 (RHS)	19750	210MPa	322
2	150X50X4.0 (RHS)	20600	310MPa	242
3	100X100X3.2 (SHS)	53250	210MPa	507
4	300X150X5.0 (RHS)	14000	310MPa	477
	Total Weight			1548
	Designed with	YST 210MPa only		
1	200X100X3.6 (RHS)	19750	210MPa	322
2	200X100X4.0 (RHS)	20600	210MPa	371
3	100X100X3.2 (SHS)	53250	210MPa	507
4	300X200X6.0 (RHS)	14000	210MPa	633
	Total Weight			1833

[•] Length tolerance ± 50mm | • Weight tolerance ± 5%

25 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10




MEMBER SIZE SCHEDULE

Wind speed 39m/s, Earthquake Zone-IV					
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)	
'	Designed with Y	ST 210 & 310MPa	'		
1	150X75X4.0 (RHS)	24750	310MPa	329	
2	150X75X4.0 (RHS)	25630	310MPa	341	
3	250X100X4.0 (RHS)	14000	310MPa	296	
4	100X100X2.9 (SHS)	7050	210MPa	61	
5	60X60X2.9 (SHS)	53360	210MPa	263	
	Total Weight			1291	
	Designed with Y	ST 210MPa only			
1	200X100X4.5 (RHS)	24750	210MPa	499	
2	200X100X4.5 (RHS)	25630	210MPa	516	
3	300X150X4.0 (RHS)	14000	210MPa	384	
4	100X100X2.9 (SHS)	7050	210MPa	61	
5	60X60X2.9 (SHS)	53360	210MPa	263	
	Total Weight			1723	

	Wind speed 47m/s, E	arthquake Zone-IV		
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with YS	T 210 & 310MPa		
1	200X100X3.6 (RHS)	24750	310MPa	403
2	150X100X4.0 (RHS)	25630	310MPa	381
3	280X100X5.0 (RHS)	14000	310MPa	400
4	110X110X2.6 (SHS)	7050	210MPa	61
5	60X60X2.9 (SHS)	53360	210MPa	263
	Total Weight			1508
	Designed with YS	ST 210MPa only		
1	200X100X4.5 (RHS)	24750	210MPa	499
2	200X100X4.5 (RHS)	25630	210MPa	517
3	300X150X5.0 (RHS)	14000	210MPa	477
4	110X110X2.6 (SHS)	7050	210MPa	61
5	60X60X2.6 (SHS)	53360	210MPa	263
	Total Weight			1817


Note : • Length tolerance ± 50mm | • Weight tolerance ± 5%



Wind Speed 55m/S, Earthquake Zone-Iv					
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)	
	Designed Wit	h YST 210 & 310MPa			
1	200x100x4.0 (Rhs)	24750	310MPa	446	
2	150x100x4.0 (Rhs)	25630	310MPa	381	
3	300x150x5.0 (Rhs)	14000	310MPa	477	
4	125x125x2.9 (Shs)	7050	210MPa	77	
5	75x75x2.9 (Shs)	53064	210MPa	339	
	Total Weight			1720	
	Designed Wit	h YST 210MPa Only			
1	200x100x5.0 (Rhs)	24750	210MPa	551	
2	200x100x4.5 (Rhs)	25630	210MPa	517	
3	300x200x6.0 (Rhs)	14000	210MPa	633	
4	125x125x2.9 (Shs)	7050	210MPa	77	
5	75x75x2.9 (Shs)	53075	210MPa	340	
	Total Weight			2118	

Note:
• Length tolerance ± 50mm | • Weight tolerance ± 5%

30 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10




MEMBER SIZE SCHEDULE

Wind speed 39m/s, Earthquake Zone-IV				
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with	YST 210 & 310MPa		
1	150x50x2.8 (RHS)	29750	210MPa	249
2	150x50x2.8 (RHS)	30660	210MPa	257
3	250x100x4.0 (RHS)	14000	310MPa	296
4	80x80x2.6 (SHS)	24460	210MPa	151
5	60x60x2.6 (SHS)	43185	210MPa	197
6	140x140x3.2 (SHS)	6000	210MPa	81
	Total Weight			1231
	Designed with	n YST 210MPa only		
1	150x50x2.8 (RHS)	29750	210MPa	249
2	150x50x2.8 (RHS)	30660	210MPa	257
3	280x100x5.0 (RHS)	14000	210MPa	400
4	80x80x2.6 (SHS)	24460	210MPa	151
5	60x60x2.6 (SHS)	43185	210MPa	196
6	140x140x3.2 (SHS)	6000	210MPa	81
	Total Weight			1334

	Wind speed 45	7m/s, Earthquake Zone-IV		
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed v	with YST 210 & 310MPa		
1	150x75x2.9 (RHS)	29750	210MPa	292
2	150x50x2.8 (RHS)	30660	210MPa	257
3	280x100x5.0 (RHS)	14000	310MPa	400
4	80x80x2.6 (SHS)	24460	210MPa	151
5	60x60x2.6 (SHS)	43185	210MPa	197
6	140x140x3.2 (SHS)	6000	210MPa	81
	Total Weight			1378
	Designed	with YST 210MPa only		
1	150x75x2.9 (RHS)	29750	210MPa	292
2	150x50x2.8 (RHS)	30660	210MPa	257
3	300x150x5.0 (RHS)	14000	210MPa	477
4	80x80x2.6 (SHS)	24460	210MPa	151
5	60x60x2.6 (SHS)	43185	210MPa	197
6	140x140x3.2 (SHS)	6000	210MPa	81
	Total Weight			1455

Note:


[•] Length tolerance ± 50mm | • Weight tolerance ± 5%



	Wind speed 55m/s, E	arthquake Zone-IV		
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with YS	T 210 & 310MPa		
1	200X100X3.2 (RHS)	29750	210MPa	433
2	150X75X3.2 (RHS)	30660	210MPa	331
3	300X150X5.0 (RHS)	14000	310MPa	477
4	91.5X91.5X2.6 (SHS)	24460	210MPa	174
5	60X60X2.6 (SHS)	43185	210MPa	197
6	140X140X3.2 (SHS)	6000	210MPa	81
	Total Weight			1693
	Designed with YS	ST 210MPa only		
1	150X100X3.6 (RHS)	29750	210MPa	401
2	150X75X3.2 (RHS)	30660	210MPa	331
3	300X200X6.0 (RHS)	14000	210MPa	633
4	91.5X91.5X2.6 (SHS)	24460	210MPa	174
5	60X60X2.6 (SHS)	43185	210MPa	197
6	140X140X3.2 (SHS)	6000	210MPa	81
	Total Weight			1817

Note:
• Length tolerance ± 50mm | • Weight tolerance ± 5%

30 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10



MEMBER SIZE SCHEDULE


	Wind speed 39m/s, E	arthquake Zone-IV		
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)
	Designed with YS	T 210 & 310MPa		
1	150x75x5.0 (RHS)	29750	310MPa	487
2	150x100x4.5 (RHS)	30660	310MPa	510
3	250x100x4.5 (RHS)	14000	310MPa	332
4	125x125x2.9 (SHS)	12520	210MPa	137
5	72x72x2.6 (SHS)	55115	210MPa	305
	Total weight			1771
	Designed with YS	ST 210MPa only		
1	200x100x5.0 (RHS)	29750	210MPa	662
2	250x100x5.0 (RHS)	30660	210MPa	803
3	280x100x5.4 (RHS)	14000	210MPa	430
4	125x125x2.9 (SHS)	12520	210MPa	137
5	72x72x2.6 (SHS)	55115	210MPa	305
	Total weight			2337

	Wind speed 47m/s,	Earthquake Zone-IV		
Part mark	Description	Length(mm)	Grade	Weight/frame (Kg)
	Designed with	YST 210 & 310MPa		<u>'</u>
1	200x100x5.0 (RHS)	29750	310MPa	662
2	200x100x4.5 (RHS)	30660	310MPa	618
3	280x100x4.5 (RHS)	14000	310MPa	361
4	125x125x2.9 (SHS)	12520	210MPa	137
5	72x72x2.6 (SHS)	53064	210MPa	294
	Total weight			2072
	Designed with	YST 210MPa only		
1	250x100x5.0 (RHS)	29750	210MPa	779
2	250x100x5.0 (RHS)	30660	210MPa	803
3	300x150x5.0 (RHS)	14000	210MPa	477
4	125x125x2.9 (SHS)	12520	210MPa	137
5	72x72x2.6 (SHS)	53075	210MPa	294
	Total weight			2490

22

Note

[•] Length tolerance ± 50mm | • Weight tolerance ± 5%




	Wind speed 55m/s, E	arthquake Zone-IV		
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)
	Designed with YS	ST 210 & 310MPa		
1	250x100x4.5 (RHS)	29750	310MPa	705
2	250x100x4.0 (RHS)	30660	310MPa	649
3	400x200x6.0 (RHS)	14000	310MPa	768 182
4	150x150x3.2 (SHS)	12520	210MPa	
5	75x75x2.9 (SHS)	53064	210MPa	340
	Total Weight			2644
	Designed with Y	ST 210MPa only		
1	250x100x5.0 (RHS)	29750	210MPa	786
2	250x100x4.5 (RHS)	30660	210MPa	727
3	500x200x6 (RHS)	14000	210MPa	897
4	150x150x3.2 (SHS)	12520	210MPa	182
5	75x75x2.9 (SHS)	53075	210MPa	340
	Total Weight			2932

Note

[•] Length tolerance ± 50mm | • Weight tolerance ± 5%

25 METER . SPAN | BAY SPACING - 6.0 METER **SLOPE - 1:10**



MEMBER SIZE SCHEDULE

	Wind speed 39m/s, Earthquake Zone-IV							
	Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)			
		Designed with YS	ST 310MPa only					
	1	500x200x6.0 (RHS)	18000	310MPa	1154			
	2	500x200x8.0 (RHS)	7630	310MPa	646			
,	3	500x200x8.0 (RHS)	12910	310MPa	1093			
		Total Weight			2893			
		Designed with YS	ST 210MPa only					
	1	500x200x6.0 (RHS)	18000	210MPa	1154			
	2	500x200x14.0 (RHS)	7630	210MPa	1097			
	3	500x200x14.0 (RHS)	12910	210MPa	1856			
		Total Weight			4107			


Wind speed 47m/s, Earthquake Zone-IV							
Part Mark	t Mark Description Length(Mm) Grade						
	Designed with YS	ST 310MPa only					
1	500x200x6.0 (RHS)	18000	310MPa	1154			
2	500x200x8.0 (RHS)	7630	310MPa	646			
3	500x200x8.0 (RHS)	12910	310MPa	1093			
	Total Weight			2893			
	Designed with YS	ST 210MPa only					
1	500x200x6.0 (RHS)	18000	210MPa	1154			
2	2 500x200x14.0 (RHS)		210MPa	1097			
3	500x200x14.0 (RHS)	12910	210MPa	1856			
	Total Weight			4107			

Wind speed 55m/s, Earthquake Zone-IV								
Part Mark	Description	Weight/Frame (Kg)						
	Designed with YST 310MPa only							
1	500x200x6.0 (RHS)	18000	310MPa	1154				
2	500x200x10.0 (RHS)	7630	310MPa	800				
3	500x200x10.0 (RHS)	12910	310MPa	1353				
	Total Weight			3307				
	Designed with YS	ST 210MPa only						
1	500x200x6.0 (RHS)	18000	210MPa	1154				
2	2 500x300x12.0 (RHS)		210MPa	800				
3	3 500x300x12.0 (RHS)		210MPa	1850				
	Total Weight			4098				

Note:

[•] Length tolerance ± 50mm | • Weight tolerance ± 5%

30 METER . SPAN | BAY SPACING - 6.0 METER SLOPE - 1:10



MEMBER SIZE SCHEDULE


Wind speed 39m/s, Earthquake Zone-IV							
Part Mark	Description	Length(Mm)	Grade	Weight/Frame (Kg)			
	Designed with YST 310MPa only						
1	600x200x6.0 (RHS)	24000	310MPa	1764			
2	600x200x10.0 (RHS)	6755	310MPa	814			
3	600x200x10.0 (RHS)	13090	310MPa	1577			
	Total Weight			4155			
	Designed with YS	ST 210MPa only					
1	600x200x8.0 (RHS)	24000	210MPa	2333			
2	600x200x14.0 (RHS)	6755	210MPa	1120			
3	3 600x200x14.0 (RHS)		210MPa	2170			
	Total Weight			5623			

	Wind speed 47m/s, Earthquake Zone-IV							
Part Mark	Description	Grade	Weight/Frame (Kg)					
	Designed with YS	ST 310MPa only						
1	600x200x6.0 (RHS)	24000	310MPa	1764				
2	600x200x10.0 (RHS)	6755	310MPa	646				
3	600x200x10.0 (RHS)	13090	310MPa	1577				
	Total Weight			4155				
	Designed with YS	ST 210MPa only						
1	600x200x8.0 (RHS)	24000	210MPa	2333				
2	600x200x14.0 (RHS)	6755	210MPa	1120				
3	600x200x14.0 (RHS)	13090	210MPa	2170				
	Total Weight			5623				


Wind speed 55m/s, Earthquake Zone-IV								
Part Mark	Mark Description Length(Mm) Grade							
	Designed with YST 310MPa only							
1	600x200x6.0 (RHS)	24000	310MPa	1764				
2	600x200x10.0 (RHS)	6755	310MPa	814				
3	600x200x10.0 (RHS)	13090	310MPa	1577				
	TOTAL WEIGHT			4155				
	Designed with YS	ST 210MPa only						
1	600x200x8.0 (RHS)	24000	210MPa	2333				
2	600x300x12.0 (RHS)	6755	210MPa	1096				
3	3 600x300x12.0 (RHS)		210MPa	2123				
	TOTAL WEIGHT			5552				

Note : • Length tolerance ± 50mm | • Weight tolerance ± 5%

TYPICAL CONNECTION DETAIL




AT HAUNCH LOCATION




CONNECTION DETAIL
AT RIDGE LOCATION








AT INTERMEDIATE LOCATION




CONNECTION PLATE DETAIL FOR TOP & BOTTOM










CONNECTION DETAIL
AT RIDGE LOCATION

CONNECTION DETAIL
AT INTERMEDIATE LOCATION





c 1.5D (D= DIA OF HOLE)

d 2.5D (D= DIA OF HOLE)

CONNECTION PLATE DETAIL

TYPICAL CONNECTION DETAIL







6 Nos. BOLT DETAIL (SIDE WALL & INTERMEDIATE COLUMN)

4 Nos. BOLT DETAIL (END WALL COLUMN)


ANCHOR BOLT PITCH & GUAGE SCHEDULE				
а	2D (D= DIA OF HOLE)			
b	4D (D= DIA OF HOLE)			










CONNECTION PLATE DETAIL OF PURLIN






TIE BEAM CONNECTION DETAIL







PIPE BRACING DETAIL COLUMN BASE

PIPE BRACING INTERMEDIATE LOCATION DETAIL

PIPE BRACING DETAIL INTERSECTION LOCATION

	CONNECTION BOLT PITCH & GUAGE SCHEDULE					
ſ	С	1.5D (D= DIA OF HOLE)				
	d	2.5D (D= DIA OF HOLE)				

PURLINS, GIRTS, TIE & BRACING MEMBERS DETAILS

ROOF PURLINS								
C No	Wind Speed	Span - 6M		Span - 8M		Span - 10M		
S. No.		Size	Weight (Kg/M)	Size	Weight (Kg/M)	Size	Weight (Kg/M)	
1	39	120x60x3.2	8.52	150x100x3.2	8.52	120x60x3.2	8.52	
2	47	120x60x3.2	8.52	150x100x3.2	8.52	120x60x3.2	8.52	
3	55	150x75x2.9	9.81	200x100x2.9	9.81	150x75x2.9	9.81	

Purlin Span 1.5meter

WALL GIRTS								
C No	Wind	Span - 6M		Span - 8M		Span - 10M		
S. No.	Speed	Size	Weight (Kg/M)	Size	Weight (Kg/M)	Size	Weight (Kg/M)	
1	39	120x60x3.2	8.52	150x100x3.2	8.52	120x60x3.2	8.52	
2	47	120x60x3.2	8.52	150x100x3.2	8.52	120x60x3.2	8.52	
3	55	150x75x2.9	9.81	200x100x2.9	9.81	150x75x2.9	9.81	

Girts Span 1.5meter

	TIE MEMBERS							
S. No.	Span - 6M		an - 6M	Span - 8M		Span - 10M		
	_	Size	Weight (Kg/M)	Size	Weight (Kg/M)	Size	Weight (Kg/M)	
1	-	CHS-76.0x2.6	4.72	CHS-101.6x2.6	3.5	CHS-127.0x2.9	8.88	

BRACING MEMBERS								
S. No.	-	Sp	an - 6M	Span - 8M		Span - 10M		
		Size	Weight (Kg/M)	Size	Weight (Kg/M)	Size	Weight (Kg/M)	
1	-	CHS-76.0x2.6	4.72	CHS-101.6x2.6	3.5	CHS-127.0x2.9	8.88	

ALLOWABLE STRESS VALUES (IN MPA) AND DIMENSIONAL TOLERANCE IS 4923:2017, TABLE 4, (Clauses 19.2)											
S. No.	Grade	Tensile Strength	Yield Strength	Elongation	on DIMENSIONAL TOLERANCE						
		Min	Min	Min	Outside		Square- ness	Corner radius	Weight		
		MPa	MPa	Percent	Dimensional	Thickness			Individual Lengths	On lot of 10 MT	
1	YSt 210	330	210	20							
2	YSt 240	410	240	15	+/-1% with a	±7.5%	90 deg. +/-2 deg.	3t max	10% -8%	±7%	
3	YSt 310	450	310	10	minimum of +/-0.50 min						
4	YSt 355	490	355	10	., 0.50 111111						

	TENSILE PROPERTIES OF STEEL TUBES FOR STRUCTURAL PURPOSE IS 116:2014, TABLE, (Clauses 3.1 and 1.2)								
S. No.	Grade	Tensile Strength	Yield Strength	Elongation on GaugeLength					
		Min	Min	5.65√S ₀ Min	Outside Dimensional	Up to and including	:	±0.4 mm	
		MPa	MPa	Percent		48.3	:	-0.8 mm	
		IVII G	1411 G	1 CICCIII	Difficisional	Over 48.3 mm	:	±1.0 percent	
1	YSt 210	330	210	20	Thickness	Welded tube		±10 parcent	
2	YSt 240	410	240	17	THICKHESS	Welded tube		±10 percent	
3	YSt 310	450	310	14	Weight	Single tube	:	±10 percent	
4	YSt 355	490	355	10	vveignt	10 tonne lots	:	±7.5 percent	

Regardless of the above-mentioned sizes, any size up to 1000x1000 and thickness up to 40 mm can be manufactured

General Notes:-

Roof Trusses, Purlins, Side Girts etc. for industrial sheds are designed with cold finished RHS/SHS Manufactured by APL Apollo Tubes Itd. Pitched roof trusses for rectangular clad buildings of 5 different spans and portal frames of 5 different spans for 39 Mps, 47Mps & 55mps wind speeds and each span having slopes of 1:10 have been considered to cover various practical combinations of roof systems and existing manufacturing practices in the India.

Truss configurations for different spans have been arrived at after trial and error, considering overall Economy & easily availability of Structural tubes. However, other configurations may also be tried.

Trusses have been analysed assuming rigid member to member connections except at ridge and hanger joints. The designs have been prepared for fixed supported conditions for column.

Trusses have been analysed for Dead Load, Superimposed Load, Wind Load and combinations Thereof according to IS: 875-2015. Only nodal loads have been considered for the purlins to be located strictly at node points, based on the maximum allowable span of Roofing sheet.

Wind Load & combinations has been taken from IS 875:2015 part III & IS800:2007 respectively and effective length of each member has been assumed to be 0.85 times the node to node distance. In case of compression loading, member has been designed against buckling in plane of truss. Maximum slenderness ratio for compression member has been restricted to 180. Maximum deflection of truss has been restricted to "span/180".

Typical fabrication detailing for different spans have been incorporated, so that practising structural engineers may find it helpful as a ready reference.

Design Code:

IS:806 & IS:800, use of hollow section for general construction in Steel Material : IS: 4923 Grade : YST 310 & 210

- 1. Dead Load
- i) Roofing sheeting & fastener = 0.05KN/m2
- II) Purlins = As per Purlin Table
- iii) Truss, tie member etc = Actual RHS/SHS wt+ 5% of truss weight due to connection plate etc.
- 2. Imposed Load per m2 plan area (for truss design):

Ref. IS: 875_1987_Part-2 Roof slope live Load = 0.75KN/m2

3. Wind Load:

IS: 875-2015, Part 3 Design Loading:

Wind Speed	39 MPS	47 MPS	55 MPS
Design Wind Pressure (KN/m²)	0.735	1.066	1.459

COMPLETED TUBULAR SHEDS

INDUSTRIAL SHED, RAIPUR

Area: 350,000 Sqft

EOT: 30/40 Ton capacity (multiple cranes)

Clear Height: 12mtr | Span: 20mtr Multiple modules







INDUSTRIAL SHED, DUJANA

Area: 80,000 Sqft EOT: 15 Ton capacity

Clear Height: 11mtr | Span: 27mtr & 22mtr







COLD STORAGE, KASHMIR Area: 60,000Sqft

Clear Height: 12mtr | Span: 25mtr Multiple modules







INDUSTRIAL SHED, SATNA

Area: 24,210 Sqft Clear Height: 12mtr | Span: 24mtr Multiple modules











INDUSTRIAL SHED, RAIPUR Area: 150,000 Sqft

EOT: 30/40 Ton capacity (multiple cranes)
Clear Height: 12mtr | Span: 20mtr Multiple modules







TURBINE BUILDING, MEGHALAYA

Area: 25,000 Sqft EOT: 20 Ton capacity

Clear Height: 14mtr | Span: 14mtr clear



