


REV/DATE	DESCRIPTION
00/30MARCH2021	INITIAL REVISION

NOTES:

- (⊥) ALL VERTICAL SUPPORTS ARE PERPENDICULAR.
- FLATNESS OF .5MM IS APPLIED BY DEFAULT.
- ⊥ WELD BEAD OF 2MM RADIUS IS FOLLOWED.
- ▽ SURFACE FINISH MEDIUM TO SMOOTH IS USED.
- ALL TUBES ARE AS PER APL APOLLO STANDARD. CHANGES MAY EFFECT THE LOAD CAPACITY.
- ALL HORIZONTAL AND VERTICAL TUBES ARE PERPENDICULAR TO EACH OTHER WITH ±1 DEG.
- FINE WELDING IS REQUIRED AS PER MENTIONED DETAILS AND FINISHING.
- HIGHER CURRENT WELDING MAY AFFECT THE BRITTLENESS OF MATERIAL WHICH LATER MAY RAISE TO WEAKENING OF STRUCTURE.
- FABRICATORS ARE ALLOWED TO USE FITTINGS/FRAMES/SUPPORTS AS NEEDED AND THE SAME MUST BE COMMUNICATED BACK TO ENGINEERING TEAM.
- BOP COMPONENT WEIGHTS ARE FOR REFERENCE ONLY AND SUBJECTED TO CHANGE PER PURCHASED COMPONENTS.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	Wt (Kg)/Each
74	RHS FRAME 73	80 X 40 X 4 X 1695.4	1	11.72
73	RHS FRAME 72	80 X 40 X 4 X 1556.3	1	10.74
72	RHS FRAME 71	80 X 40 X 4 X 1417.2	1	9.76
71	RHS FRAME 70	80 X 40 X 4 X 507.9	1	3.2
70	RHS FRAME 69	80 X 40 X 4 X 749.7	1	4.9
69	RHS FRAME 68	80 X 40 X 4 X 991.57	1	6.6
68	RHS FRAME 67	80 X 40 X 4 X 1233.39	1	8.31
67	RHS FRAME 66	80 X 40 X 4 X 1475.2	1	10
66	RHS FRAME 65	80 X 40 X 4 X 1717.1	1	11.71
65	RHS FRAME 64	80 X 40 X 4 X 1958.9	1	13.42
64	RHS FRAME 63	80 X 40 X 4 X 2203.5	2	15.14
63	RHS FRAME 62	80 X 40 X 4 X 972.4	2	6.31
62	RHS FRAME 61	80 X 40 X 4 X 695.8	2	4.36
61	RHS FRAME 60	80 X 40 X 4 X 419.2	2	2.41
60	RHS FRAME 59	80 X 40 X 4 X 2961.3	2	20.53
59	RHS FRAME 58	80 X 40 X 4 X 1564.7	1	10.8
58	RHS FRAME 57	80 X 40 X 4 X 1146.19	2	7.91
57	RHS FRAME 56	80 X 40 X 4 X 1802.2	2	12.15
56	RHS FRAME 55	80 X 40 X 4 X 1525.6	2	10.2
55	RHS FRAME 54	80 X 40 X 4 X 1249	2	8.25
54	RHS FRAME 53	80 X 40 X 4 X 2078.8	2	14.1
53	RHS FRAME 52	80 X 40 X 4 X 1979.8	2	13.73
52	RHS FRAME 51	80 X 40 X 4 X 1842.85	2	12.76
51	RHS FRAME 50	80 X 40 X 4 X 1703.8	1	11.78
50	RHS FRAME 49	80 X 40 X 4 X 1528.6	1	10.11
49	RHS FRAME 48	80 X 40 X 4 X 949.89	2	6.5
48	RHS FRAME 47	80 X 40 X 4 X 1205.32	1	7.84
47	RHS FRAME 46	80 X 40 X 4 X 905.1	1	5.72
46	RHS FRAME 45	80 X 40 X 4 X 439.6	1	2.85
45	RHS FRAME 44	80 X 40 X 4 X 326.3	1	2.05
44	RHS FRAME 43	80 X 40 X 4 X 213	1	1.25
43	RHS FRAME 42	80 X 40 X 4 X 1746.79	1	11.94
42	RHS FRAME 41	80 X 40 X 4 X 1518.56	1	10.34
41	RHS FRAME 40	80 X 40 X 4 X 1290.33	1	8.52
40	RHS FRAME 39	80 X 40 X 4 X 944.26	1	6.09
39	RHS FRAME 38	80 X 40 X 4 X 584.26	1	3.55
38	RHS FRAME 37	80 X 40 X 4 X 745.7	1	4.6
37	RHS FRAME 36	80 X 40 X 4 X 1161.4	1	7.53
36	RHS FRAME 35	80 X 40 X 4 X 1474	1	9.82
35	RHS FRAME 34	80 X 40 X 4 X 1737.6	1	11.67
34	RHS FRAME 33	80 X 40 X 4 X 2001.1	1	13.53
33	RHS FRAME 32	80 X 40 X 4 X 2264.63	1	15.39
32	RHS FRAME 31	80 X 40 X 4 X 2238.07	1	15.52
31	RHS FRAME 30	80 X 40 X 4 X 2085.92	1	14.45
30	RHS FRAME 29	80 X 40 X 4 X 1933.8	1	13.38
29	RHS FRAME 28	80 X 40 X 4 X 1781.6	1	12.31
28	RHS FRAME 27	80 X 40 X 4 X 1629.5	1	11.24
27	RHS FRAME 26	80 X 40 X 4 X 1850	1	12.48
26	RHS FRAME 25	80 X 40 X 4 X 1642.15	1	10.91
25	RHS FRAME 24	80 X 40 X 4 X 147.6	1	0.68
24	RHS FRAME 23	80 X 40 X 4 X 279.3	1	1.61
23	RHS FRAME 22	80 X 40 X 4 X 411.1	1	2.54
22	RHS FRAME 21	80 X 40 X 4 X 542.9	1	3.47
21	RHS FRAME 20	80 X 40 X 4 X 674.6	1	4.39
20	RHS FRAME 19	80 X 40 X 4 X 806.4	1	5.32
19	RHS FRAME 18	80 X 40 X 4 X 744.64	1	4.89
18	RHS FRAME 17	80 X 40 X 4 X 516.41	1	3.28
17	RHS FRAME 16	80 X 40 X 4 X 250	2	1.17
16	RHS FRAME 15	80 X 40 X 4 X 357	8	1.76
15	RHS FRAME 14	80 X 40 X 4 X 450.3	7	2.52
14	RHS FRAME 13	80 X 40 X 4 X 413	5	2.35
13	RHS FRAME 12	80 X 40 X 4 X 1806.2	1	12.56
12	RHS FRAME 11	80 X 40 X 4 X 1609.9	1	11.18
11	RHS FRAME 10	80 X 40 X 4 X 1311.3	1	9.07
10	RHS FRAME 9	80 X 40 X 4 X 1207.38	1	8.34
9	RHS FRAME 8	80 X 40 X 4 X 3040	1	21.41
8	RHS FRAME 7	80 X 40 X 4 X 5800	2	40.85
7	SHS FRAME 1	25 X 25 X 1.6 X 1050	35	1.24
6	RHS PLANK 1	200 X 25 X 1.6 X 1050	34	5.86
5	RHS FRAME 5	80 X 40 X 4 X 2040	1	14.37
4	RHS FRAME 4	80 X 40 X 4 X 4300	2	29.72
3	RHS FRAME 3	80 X 40 X 4 X 2200	2	14.93
2	RHS FRAME 2	200 X 100 X 5 X 4500	2	102.57
1	RHS FRAME 1	200 X 100 X 5 X 8000	1	182.35



ISOMETRIC VIEW
SCALE : 1:10

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM
VIEWS: THIRD ANGLE PROJECTION

This drawing is our property. It can't be reproduced or communicated without our written agreement.


APL APOLLO TUBES LTD.

DRAWING TITLE: **GATE 2**

DRAWN BY: VM	DATE: 30MARCH2021	SIZE: A0	DRAWING NUMBER: P2P MAR 21-07	REV: 00
CHECKED BY: P2P Analysis & Solutions	DATE: 30MARCH2021	SCALE: As Indicated	WEIGHT (kg): 0kg	SHEET 1 OF 8
DESIGNED BY: P2P Analysis & Solutions	DATE: 30MARCH2021			

REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION

- NOTES:
- (⊥) ALL VERTICAL SUPPORTS ARE PERPENDICULAR.
 - FLATNESS OF .5MM IS APPLIED BY DEFAULT.
 - ⊥ WELD BEAD OF 2MM RADIUS IS FOLLOWED.
 - ▽ SURFACE FINISH MEDIUM TO SMOOTH IS USED.
 - ALL TUBES ARE AS PER APL APOLLO STANDARD. CHANGES MAY EFFECT THE LOAD CAPACITY.
 - ALL HORIZONTAL AND VERTICAL TUBES ARE PERPENDICULAR TO EACH OTHER WITH ±1 DEG.
 - FINE WELDING IS REQUIRED AS PER MENTIONED DETAILS AND FINISHING.
 - HIGHER CURRENT WELDING MAY AFFECT THE BRITTLENESS OF MATERIAL WHICH LATER MAY RAISE TO WEAKENING OF STRUCTURE.
 - FABRICATORS ARE ALLOWED TO USE FITTINGS/FRAMES/SUPPORTS AS NEEDED AND THE SAME MUST BE COMMUNICATED BACK TO ENGINEERING TEAM.
 - BOP COMPONENT WEIGHTS ARE FOR REFERENCE ONLY AND SUBJECTED TO CHANGE PER PURCHASED COMPONENTS.



ISOMETRIC VIEW
SCALE : 1:10

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	Wt (Kg) /Each
93	RHS FRAME 36	80 X 40 X 4 X 2264.98	1	15.57
92	RHS FRAME 35	80 X 40 X 4 X 2023.15	1	13.87
91	RHS FRAME 34	80 X 40 X 4 X 1781.32	1	12.17
90	RHS FRAME 33	80 X 40 X 4 X 1539.49	1	10.46
89	RHS FRAME 14	80 X 40 X 4 X 1297.67	1	8.76
88	RHS FRAME 13	80 X 40 X 4 X 1055.84	1	7.06
87	RHS FRAME 12	80 X 40 X 4 X 814	1	5.35
86	RHS FRAME 11	80 X 40 X 4 X 487.5	1	3.06
85	RHS FRAME 84	80 X 40 X 4 X 497.65	1	2.85
84	RHS FRAME 83	80 X 40 X 4 X 913.3	1	5.78
83	RHS FRAME 82	80 X 40 X 4 X 1262	1	8.34
82	RHS FRAME 81	80 X 40 X 4 X 1538.6	1	10.29
81	RHS FRAME 80	80 X 40 X 4 X 2091.8	1	12.24
80	RHS FRAME 79	80 X 40 X 4 X 2368.4	1	14.19
79	RHS FRAME 78	80 X 40 X 4 X 2368.4	1	16.14
78	RHS FRAME 77	80 X 40 X 4 X 2251.8	1	15.64
77	RHS FRAME 76	80 X 40 X 4 X 2112.7	1	14.66
76	RHS FRAME 75	80 X 40 X 4 X 1973.6	1	13.68
75	RHS FRAME 74	80 X 40 X 4 X 1834.5	1	12.7

This drawing is our property. It can't be reproduced or communicated without our written agreement.

APL APOLLO TUBES LTD.


DRAWING TITLE: **GATE 2**

CHECKED BY: VM, DATE: 30MARCH2021

DESIGNED BY: P2P Analysis & Solutions, DATE: 30MARCH2021


SIZE: A0, DRAWING NUMBER: P2P MAR 21-07, REV: 00

SCALE: As Indicated, WEIGHT (kg): 0kg, SHEET 2 OF 8




REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION


TOP VIEW
SCALE: 1:10




FRONT VIEW
SCALE: 1:10

RIGHT VIEW
SCALE: 1:10


This drawing is our property. It can't be reproduced or communicated without our written agreement.		APL APOLLO TUBES LTD. 	
DRAWN BY SB		DATE 30MARCH2021	
CHECKED BY P2P Analysis & Solutions		DATE 30MARCH2021	
DESIGNED BY P2P Analysis & Solutions		DATE 30MARCH2021	
DRAWING TITLE GATE 2		SIZE A0	DRAWING NUMBER P2P MAR 21-07
SCALE NONE		WEIGHT (kg) XXX	REV 00
UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM		SHEET 3 OF 8	




REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 1, RHS FRAME 1
THICKNESS - 5.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 2, RHS FRAME 2
THICKNESS - 5.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 3, RHS FRAME 3
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 4, RHS FRAME 4
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 5, RHS FRAME 5
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 6, RHS PLANK 1
THICKNESS - 1.6MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 7, SHS FRAME 1
THICKNESS - 1.6MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 9, RHS FRAME 8
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 10, RHS FRAME 9
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 11, RHS FRAME 10
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 12, RHS FRAME 11
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 13, RHS FRAME 12
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 18, RHS FRAME 17
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 20, RHS FRAME 19
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 21, RHS FRAME 20
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 14, RHS FRAME 13
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 15, RHS FRAME 14
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 16, RHS FRAME 15
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 17, RHS FRAME 16
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 19, RHS FRAME 18
THICKNESS - 4.0MM




This drawing is our property. It can't be reproduced or communicated without our written agreement.


DRAWN BY		DATE		DRAWING TITLE	
VM		30MARCH2021		GATE 2	
CHECKED BY		DATE		SIZE	DRAWING NUMBER
P2P Analysis & Solutions		30MARCH2021		A0	P2P MAR 21-07
DESIGNED BY		DATE		SCALE	WEIGHT(kg)
P2P Analysis & Solutions		30MARCH2021		As Indicated	Ok
					SHEET 4 OF 8




REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 22, RHS FRAME 21
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 23, RHS FRAME 22
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 24, RHS FRAME 23
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 25, RHS FRAME 24
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 26, RHS FRAME 25
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 27, RHS FRAME 26
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 28, RHS FRAME 27
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 36, RHS FRAME 35
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 29, RHS FRAME 28
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 30, RHS FRAME 29
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 31, RHS FRAME 30
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 32, RHS FRAME 31
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 33, RHS FRAME 32
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 34, RHS FRAME 33
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 35, RHS FRAME 34
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 41, RHS FRAME 40
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 37, RHS FRAME 36
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 38, RHS FRAME 37
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 39, RHS FRAME 38
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 40, RHS FRAME 39
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 42, RHS FRAME 41
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 47, RHS FRAME 46
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 44, RHS FRAME 43
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 45, RHS FRAME 44
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 46, RHS FRAME 45
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 43, RHS FRAME 43
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 44, RHS FRAME 43
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 45, RHS FRAME 44
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 43, RHS FRAME 43
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 44, RHS FRAME 43
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 45, RHS FRAME 44
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 46, RHS FRAME 45
THICKNESS - 4.0MM

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM VIEWS: THIRD ANGLE PROJECTION


DRAWN BY	DATE
VM	30MARCH2021
CHECKED BY	DATE
P2P Analysis & Solutions	30MARCH2021
DESIGNED BY	DATE
P2P Analysis & Solutions	30MARCH2021

This drawing is our property. It can't be reproduced or communicated without our written agreement.		APL APOLLO TUBES LTD.	
DRAWING TITLE			
GATE 2			
SIZE	DRAWING NUMBER	REV	
A0	P2P MAR 21-07	00	
SCALE	WEIGHT(kg)	SHEET 5 OF 8	
As Indicated	0kg		


REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 43 RHS FRAME 42
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 48 RHS FRAME 47
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 49 RHS FRAME 48
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 50 RHS FRAME 49
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 51 RHS FRAME 50
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 52 RHS FRAME 51
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 53 RHS FRAME 52
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 55 RHS FRAME 54
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 54 RHS FRAME 53
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 56 RHS FRAME 55
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 57 RHS FRAME 56
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 58 RHS FRAME 57
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 59 RHS FRAME 58
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 60 RHS FRAME 59
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 61 RHS FRAME 60
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 62 RHS FRAME 61
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 63 RHS FRAME 62
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 64 RHS FRAME 63
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 65 RHS FRAME 64
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 66 RHS FRAME 65
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 67 RHS FRAME 66
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 68 RHS FRAME 67
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 69 RHS FRAME 68
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 70 RHS FRAME 69
THICKNESS - 4.0MM

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM VIEWS: THIRD ANGLE PROJECTION


DRAWN BY		DATE	
VM		30MARCH2021	
CHECKED BY		DATE	
P2P Analysis & Solutions		30MARCH2021	
DESIGNED BY		DATE	
P2P Analysis & Solutions		30MARCH2021	

DRAWING TITLE			
GATE 2			
SIZE	DRAWING NUMBER	REV	
A0	P2P MAR 21-07	00	
SCALE	WEIGHT(kg)	Okg	SHEET 6 OF 8
As Indicated			


This drawing is our property. It can't be reproduced or communicated without our written agreement.

APL APOLLO TUBES LTD.


REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 68 RHS FRAME 67
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 69 RHS FRAME 68
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 70 RHS FRAME 69
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 71 RHS FRAME 70
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 72 RHS FRAME 71
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 73 RHS FRAME 72
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 74 RHS FRAME 73
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 75 RHS FRAME 74
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 76 RHS FRAME 75
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 77 RHS FRAME 76
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 78 RHS FRAME 77
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 79 RHS FRAME 78
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 80 RHS FRAME 79
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 81 RHS FRAME 80
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 82 RHS FRAME 81
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 83 RHS FRAME 82
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 84 RHS FRAME 83
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 85 RHS FRAME 84
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:5 SCALE: 1:5
ITEM 86 RHS FRAME 85
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 87 RHS FRAME 86
THICKNESS - 4.0MM


UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM VIEWS: THIRD ANGLE PROJECTION




This drawing is our property. It can't be reproduced or communicated without our written agreement.		APL APOLLO TUBES LTD.	
DRAWN BY	DATE	DRAWING TITLE	
VM	30MARCH2021	GATE 2	
CHECKED BY	DATE	SIZE	DRAWING NUMBER
P2P Analysis & Solutions	30MARCH2021	A0	P2P MAR 21-07
DESIGNED BY	DATE	SCALE	WEIGHT(kg)
P2P Analysis & Solutions	30MARCH2021	As Indicated	0kg
		REV	SHEET 7 OF 8
		00	




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 88 RHS FRAME 87
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 89 RHS FRAME 88
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 90 RHS FRAME 89
THICKNESS - 4.0MM



FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 91 RHS FRAME 90
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 92 RHS FRAME 91
THICKNESS - 4.0MM




FRONT VIEW RIGHT VIEW
SCALE: 1:10 SCALE: 1:10
ITEM 93 RHS FRAME 92
THICKNESS - 4.0MM

REV	DATE	DESCRIPTION
00	30MARCH2021	INITIAL REVISION



UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN MM VIEWS: THIRD ANGLE PROJECTION

This drawing is our property. It can't be reproduced or communicated without our written agreement.		APL APOLLO TUBES LTD. 	
DRAWN BY VM		DRAWING TITLE GATE 2	
CHECKED BY P2P Analysis & Solutions	DATE 30MARCH2021	SIZE A0	DRAWING NUMBER P2P MAR 21-07
DESIGNED BY P2P Analysis & Solutions	DATE 30MARCH2021	SCALE As Indicated	WEIGHT (kg) 0kg
		SHEET 8 OF 8	